

SCIENTIFIC RESEARCH ON NONI FRUIT

Contents

[Cell Regeneration](#)
[AntiCancer Activity](#)
[RAS-Transformed Cells](#)
[Analgesic and Behavioral](#)
[Effects](#)
[More information](#)



Recent Scientific Studies on Morinda Citrifolia (Noni)

Introduction

Science verifies the tradition of Noni Herbal and natural products have been used for centuries throughout the world in every culture. The scientific community has begun to show more and more interest in these products as the benefits become even more well known. Noni began to catch the eye of researchers worldwide early in this century, and one by one, studies have revealed the amazing qualities of the Noni fruit.

This document contains a brief summary and interpretation of some studies which are important in understanding the value of this plant. This document will not attempt to reproduce each study found or reprint verbatim each study cited. This information is provided in the hopes that people everywhere may become better familiar with the amazing properties of the Noni fruit.

Dr Ralph Heinicke: Xeronine and Cell Regeneration

As a research in Hawaii, Dr. Ralph Heinicke became aware of the marvelous benefits of the Noni Fruit and set out to find the pharmacologically active ingredient of the Noni. Dr. Heinicke had spent over 45 years studying the effects of an alkaloid he discovered and named xeronine. Xeronine is a relatively small alkaloid which is physiologically very active and important for the proper function of all cells in the body.

In his research, Dr. Heinicke discovered that the Noni juice contains appreciable amounts of the precursor of xeronine that he named "pro-xeronine." Pro-xeronine releases pure xeronine in the intestines when it comes in contact with a particular enzyme also found in the Noni juice. Dr. Heinicke's theory, is that when released, xeronine actually works at the molecular level to repair damaged cells. Dr. Heinicke states that the primary function

of xeronine is to regulate the rigidity and shape of specific proteins. Since these proteins have different functions within the cells, this explains how the administrations of Noni juice causes an unbelievably wide range of physiological responses.

A. Hirazumi, E. Furrasawa, S.C. Chou & Y. Hokama. "AntiCancer Activity of Morinda Citrifolia on Intraperitoneally implanted Lewis Lung Carcinoma in Syngenic Mice." *Proc West Pharmacol Soc.* 37: 145-146 (1994).

This is a very significant study by a team of researchers from the University of Hawaii led by Annie Hirazumi. Ms. Hirazumi became interested in the study of the Noni fruit because of earlier experiences with its amazing qualities. Her father helped a good friend with the juice of the Noni and later, Annie administered the pure Noni juice to a pet dog who was dying. The dog recovered miraculously, and Annie set out to find out more about this incredible fruit.

The study by Ms. Hirazumi and her colleagues was conducted on live laboratory mice (specifically C57Bl/6 mice) specifically identified as very receptive to injected Lewis Lung Carcinoma cells. The mice were injected with active Lewis Lung Carcinoma cells (LLC). Untreated, the mice died form 9-12 days after injection from tumor growth. A portion of the injected mice were treated with Noni juice in five separate daily treatments. The Noni juice was shown to significantly increase the life span of the treated mice (from 105%-123%) with 9 of 22 mice surviving for more than 50 days. The experiment was repeated on a different lot of mice with similar results.

The Research Team concluded that the Noni juice "seems to act indirectly by enhancing host immune system involving macrophages and/or lymphocytes."

T. Hiramatsu, M. Imoto, T. Koyano, K. Umezawa. "Induction of Normal Phenotypes in RAS-transformed cells by Damnacanthal from Morinda Citrifolia." *Cancer Letters* 73 (1993) 161-166.

In this study, a team of Japanese researchers studied the effect of over 500 extracts form tropical plants on the K-ras-NRK cell, (a pre-cursor to certain types of cancer). The compound, damnacanthal, found in the Morinda Citrifolia (Noni), was found to be an inhibitor of ras function.

The research: Ras cells were seeded into 96 plates and incubated at 33 degrees Centigrade for 24 hours. The Noni plant extract was added and the cell morphology was examined every day for 5 days. The Ras function was inhibited by the injected plant extract. This same compound has been found to inhibit the Epstein-Barr virus early-antigen activation. The extract from the Morinda Citrifolia was found to be most effective in inhibiting Ras function among the 500 tested extracts.

C. Younos, A. Rolland, J. Fluereutin, M. Lanhers, R. Misslin, F. Mortier.
"Analgesic and Behavioral Effects of Morinda Citrifolia." *Planta Medica*
56 (1990). 430-434.

In this study, the team lead by French scientist Chafique Younos, test the analgesic and sedative effects of extracts from the Morinda Citrifolia Plant. They were aware of the traditional use of the plant as a general analgesic, and set out to determine if those claims were valid. The extract was shown to be non-toxic and did show significant, dose-related, central analgesic activity in the treated mice. This study included various experiments on the treated mice to determine the analgesic effect, if any, from the plant extracts of the Morinda Citrifolia (Noni). The conclusion of these researchers was that the extract did in fact demonstrate analgesic effects consistently in each experiment. The conclusion of this study included a simple statement from the authors: "These findings validate the traditional analgesic properties of this plant."

Conclusion

The above represent only a sample of the research completed on the Morinda Citrifolia Plant. The results are conclusive in each case in showing the validity of the traditional use of the Noni.

Research has the Noni plant has the following effects:

The Noni fruit seemed to retard tumor growth by stimulating the immune system.

The compounds in Noni actually work at the cellular level to cause cell regeneration and increase cell function.

Noni was shown to have significant impact on arresting the growth of implanted cancerous RAS cells.

It was also shown to have an analgesic effect.

It is effective against at least seven different kinds of harmful bacteria.

It is a natural antiseptic.

It is effective against fungus and parasites.

[Return to top of page.](#)